International Journal of Food Microbiology, 15 (1992) 393–395

© 1992 Elsevier Science Publishers B.V. All rights reserved 0168-1605/92/$05.00

Author index

Agerhem, H., see Borch, E. (15) 99

Aho, M., Nuotio, L., Nurmi, E. and Kiiskinen, T.
Competitive exclusion of campylobacters from poultry with K-bacteria and Broilact® (15) 265

Aho, M.
Problems of *Salmonella* sampling (15) 225

Antuña, B., see Torner, M.J. (15) 145

Benedito de Barber, C., see Torner, M.J. (15) 145

Berndtson, E., Tivemo, M. and Engvall, A.
Distribution and numbers of *Campylobacter* in newly slaughtered broiler chickens and hens (15) 45

Beuchat, L.R., see Shambuyi, M. (15) 77

Beumer, R.R., De Vries, J. and Rombouts, F.M.
Campylobacter jejuni non-culturable coccoid cells (15) 153

Bisgaard, M.
A voluntary *Salmonella* control programme for the broiler industry, implemented by the Danish Poultry Council (15) 219

Bolder, N.M., van Lith, L.A.J.T., Putirulan, F.F., Jacobs-Reitsma, W.F. and Mulder, R.W.A.W.
Prevention of colonization by *Salmonella enteritidis* PT4 in broiler chickens (15) 313

Bonestroo, M.H., Kusters, B.J.M., de Wit, J.C. and Rombouts, F.M.
Glucose and sucrose fermenting capacity of homofermentative lactic acid bacteria used as starters in fermented salads (15) 365

Borch, E. and Agerhem, H.
Chemical, microbial and sensory changes during the anaerobic cold storage of beef inoculated with a homofermentative *Lactobacillus* sp. or a *Leuconostoc* sp. (15) 99

Brennhovd, O., Kapperud, G. and Langeland, G.
Survey of thermotolerant *Campylobacter* spp. and *Yersinia* spp. in three surface water sources in Norway (15) 327

Brooks, B.W., see Fraser, A.D.E. (15) 377

Buazzi, M.M. and Marth, E.H.
Sites of action by propionate on *Listeria monocytogenes* (15) 109

Cameron, D.M. and Carter, J.N.
Evaluation of the efficacy of Broilact® in preventing infection of broiler chicks with *Salmonella enteritidis* PT4 (15) 319

Carter, J.N., see Cameron, D.M. (15) 319

Chandan, V., see Fraser, A.D.E. (15) 377

D'Aoust, J.-Y., Sewell, A.M. and Jean, A.
Efficacy of prolonged (48 h) selective enrichment for the detection of foodborne *Salmonella* (15) 121

Dawson, P.S.
Control of *Salmonella* in poultry in Great Britain (15) 215

Desmarchelier, P.M., see Lew, A.E. (15) 347

De Vries, J., see Beumer, R.R. (15) 153

de Wit, J.C., see Bonestroo, M.H. (15) 365

Eie, T., see Ewald, S. (15) 177

El Abboudi, M., El Soda, M., Pandian, S., Simard, R.E. and Olson, N.F.
Purification of X-prolyl dipeptidyl aminopeptidase from *Lactobacillus casei* subspecies (15) 87

El Soda, M., see El Abboudi, M. (15) 87

Engström, B., see Wierup, M. (15) 287

Engvall, A., see Berndtson, E. (15) 45

Ewald, S. and Eie, T.
The effect of resuscitation and the incubation-temperature on recovery of uninjured, heat injured and freeze injured enterococci (15) 177

Feldhusen, F., Woltering, B. and Fries, R.
Bacteriological composition of pigskin surfaces during cold storage at various degrees of relative humidity (15) 185

Fowler, N.G.
Antimicrobials and competitive exclusion (15) 277
Fraser, A.D.E., Chandan, V., Yamazaki, H., Brooks, B.W. and Garcia, M.M.
Simple and economical culture of *Campylobacter jejuni* and *Campylobacter coli* in CO_2 in moist air (15) 377
Fries, R., see Feldhusen, F. (15) 185

Garcia, M.M., see Fraser, A.D.E. (15) 377
Gennari, M., Parini, M., Volpon, D. and Serio, M.
Isolation and characterization by conventional methods and genetic transformation of *Psychrobacter* and *Acinetobacter* from fresh and spoiled meat, milk and cheese (15) 61
Gill, C.O. and Jones, S.D.M.
Evaluation of a commercial process for collection and cooling of beef offals by a temperature function integration technique (15) 131
Grund, S. and Stolpe, H.
Adhesion of *Salmonella typhimurium* var. *copenhagen* in the intestines of pigeons (15) 299

Hirn, J., Nurmi, E., Johansson, T. and Nuotio, L.
Long-term experience with competitive exclusion and salmonellas in Finland (15) 281
Hoogenboom-Verdegaal, A., see Notermans, S. (15) 197
Humbert, F., see Salvat, G. (15) 307
Hung, Y.-C., see Shambuyi, M. (15) 77
Huss, H.H.
Development and use of the HACCP concept in fish processing (15) 33

Jacobs-Reitsma, W.F., see Bolder, N.M. (15) 313
Jansen, J.T., see Mossel, D.A.A. (15) 1
Jean, A., see D'Aoust, J.-Y. (15) 121
Jemmi, T. and Keusch, A.
Behavior of *Listeria monocytogenes* during processing and storage of experimentally contaminated hot-smoked trout (15) 339
Jendteg, S., see Persson, U. (15) 207
Johansson, T., see Hirn, J. (15) 281
Johnson, C.T.
The use of an antimicrobial and competitive exclusion combination in *Salmonella*-infected pullet flocks (15) 293
Jones, S.D.M., see Gill, C.O. (15) 131

Kapperud, G., see Brennhovd, O. (15) 327
Keusch, A., see Jemmi, T. (15) 339
Kiiskinen, T., see Aho, M. (15) 265
Kleinlein, N., see Schraft, H. (15) 191
Kusters, B.J.M., see Bonestroo, M.H. (15) 365

Lahellec, C., see Salvat, G. (15) 307
Lalande, F., see Salvat, G. (15) 307
Langeland, G., see Brennhovd, O. (15) 327
Lew, A.E. and Desmarchelier, P.M.
Restriction fragment length polymorphism analysis of *Listeria monocytogenes* and its application to epidemiological investigations (15) 347
Lundén, A. and Uggla, A.
Infectivity of *Toxoplasma gondii* in mutton following curing, smoking, freezing or microwave cooking (15) 357

Marth, E.H., see Buazzi, M.M. (15) 109
Martínez-Anaya, M.A., see Torner, M.J. (15) 145
McKay, A.M.
Growth of fermentative and non-fermentative yeasts in natural yoghurt, stored in polystyrene cartons (15) 383
McMeekin, T.A., Ross, T. and Olley, J.
Application of predictive microbiology to assure the quality and safety of fish and fish products (15) 13
Mead, G., see Schneitz, C. (15) 241
Mossel, D.A.A., Struijk, C.B. and Jansen, J.T.
Control of the transmission of *Vibrio cholerae* and other enteropathogens by foods originating from endemic areas in South America and elsewhere as a model situation (15) 1
Mulder, R.W.A.W., see Bolder, N.M. (15) 313

Nakayama, T., see Shambuyi, M. (15) 77
Nørrung, B.
Characterisation of Danish isolates of *Listeria monocytogenes* by multilocus enzyme electrophoresis (15) 51
Notermans, S. and Hoogenboom-Verdegaal, A.
Existing and emerging foodborne diseases (15) 197
Nuotio, L., see Aho, M. (15) 265
Nuotio, L., see Hirn, J. (15) 281
Nuotio, L., see Nurmi, E. (15) 237
Nuotio, L., see Schneitz, C. (15) 241
Nurmi, E., Nuotio, L. and Schneitz, C.
The competitive exclusion concept: development and future (15) 237
Nurmi, E., see Aho, M. (15) 265

Nurmi, E., see Hirn, J. (15) 281
Nurmi, E., see Schneitz, C. (15) 241

Olley, J., see McMeekin, T.A. (15) 13
Olson, N.F., see El Abboudi, M. (15) 87

Pandian, S., see El Abboudi, M. (15) 87
Parini, M., see Gennari, M. (15) 61
Persson, U. and Jendteg, S.
The economic impact of poultry-borne salmonellosis: how much should be spent on prophylaxis? (15) 207
Peters, A.C., see Thomas, L.V. (15) 165
Putirulan, F.F., see Bolder, N.M. (15) 313

Rombouts, F.M., see Beumer, R.R. (15) 153
Rombouts, F.M., see Bonestroo, M.H. (15) 365
Ross, T., see McMeekin, T.A. (15) 13

Salvat, G., Lalande, F., Humbert, F. and Lahellec, C.
Use of a competitive exclusion product (Broilact®) to prevent *Salmonella* colonization of newly hatched chicks (15) 307
Schneitz, C., Nuotio, L., Mead, G. and Nurmi, E.
Competitive exclusion in the young bird: challenge models, administration and reciprocal protection (15) 241
Schneitz, C., see Nurmi, E. (15) 237
Schraft, H., Kleinlein, N. and Untermann, F.
Contamination of pig hindquarters with *Staphylococcus aureus* (15) 191
Serio, M., see Gennari, M. (15) 61
Sewell, A.M., see D'Aoust, J.-Y. (15) 121
Shambuyi, M., Beuchat, L.R., Hung, Y.-C. and Nakayama, T.
Evaluation of substrates and storage conditions for preparing and maintaining starter cultures for tempeh fermentation (15) 77
Simard, R.E., see El Abboudi, M. (15) 87
Stavric, S.
Defined cultures and prospects (15) 245
Stolpe, H., see Grund, S. (15) 299
Struijk, C.B., see Mossel, D.A.A. (15) 1

Thomas, L.V., Wimpenny, J.W.T. and Peters, A.C.
Testing multiple variables on the growth of a mixed inoculum of *Salmonella* strains using gradient plates (15) 165
Tivemo, M., see Berndtson, E. (15) 45
Torner, M.J., Martínez-Anaya, M.A., Antuña, B. and Benedito de Barber, C.
Headspace flavour compounds produced by yeasts and lactobacilli during fermentation of preferments and bread doughs (15) 145

Uggla, A., see Lundén, A. (15) 357
Untermann, F., see Schraft, H. (15) 191

van Lith, L.A.J.T., see Bolder, N.M. (15) 313
Volpon, D., see Gennari, M. (15) 61

Wahlström, H., see Wierup, M. (15) 287
Wierup, M., Wahlström, H. and Engström, B.
Experience of a 10-year use of competitive exclusion treatment as part of the *Salmonella* control programme in Sweden (15) 287
Wimpenny, J.W.T., see Thomas, L.V. (15) 165
Woltering, B., see Feldhusen, F. (15) 185

Yamazaki, H., see Fraser, A.D.E. (15) 377

International Journal of Food Microbiology, 15 (1992) 397–398

© 1992 Elsevier Science Publishers B.V. All rights reserved 0168-1605/92/$05.00

Subject index

Acinetobacter, (15) 61
Adhesion, (15) 299
Anaerobic cold storage, (15) 99
Antibiotics, (15) 293
Antimicrobials, (15) 277
ATP, (15) 153

Bacteria, (15) 33, (15) 185
Beef, (15) 99
Beef offal, (15) 131
Biosecurity, (15) 219
Broiler, (15) 45

Campylobacter, (15) 265, (15) 377
Campylobacter jejuni, (15) 153
Campylobacter jejuni / coli, (15) 45
Canned foods, (15) 1
Carcasses, (15) 45
Cassava, (15) 77
Causative agents: Foods, (15) 197
Challenge models, (15) 241
Chick protection, (15) 245
Chicks, (15) 307, (15) 313, (15) 319
Chilled storage, (15) 185
Colonization, (15) 307
Colonization, prevention of, (15) 313
Competitive exclusion, (15) 207, (15) 241, (15) 245, (15) 265, (15) 277, (15) 281, (15) 287, (15) 307, (15) 313, (15) 319
Competitive exclusion concept, (15) 237
Competitive exclusion preparation, (15) 293
Control programme, (15) 287
Cowpea, (15) 77
Curing, (15) 357

Defined cultures, (15) 245
Development, (15) 237
Dough, (15) 145

Economic culture, (15) 377
Enterococcus, (15) 177
Epidemiology, (15) 51, (15) 347
Experiences, (15) 281

Fermentation, (15) 77, (15) 145
Fermenting capacity, (15) 365
Fimbriae, (15) 299
Fish, (15) 13
Fish processing, (15) 33
Flavour, (15) 145
Foodborne diseases, (15) 197
Foodborne pathogen, (15) 121
Freeze injury, (15) 177
Freezing, (15) 357
Frequency, (15) 197
Frozen fishery products, (15) 1
Future, (15) 237

Great Britain, (15) 215

pH, (15) 165
Hazard analysis critical control point, (15) 33
Heat injury, (15) 177
Heat resistance, (15) 339
Human salmonellosis, (15) 281

Incubation, (15) 121
Incubation temperature, (15) 177
Indicator bacteria, (15) 327
Infection, prevention of, (15) 319
Infectivity, (15) 153
Injury, (15) 109
Intestines, (15) 299

Lactic acid bacteria, (15) 365
Lactobacillus, (15) 99, (15) 145
Lactobacillus casei, (15) 87
Legislative control, (15) 215
Leuconostoc, (15) 99
Listeria, (15) 339
Listeria monocytogenes, (15) 51, (15) 109, (15) 347

Meat, (15) 45
Methods of administration, (15) 241
Microbiological quality control, (15) 33
Monitoring of imported consignments, (15) 1

Moraxella-like bacteria, (15) 61
Multilocus enzyme electrophoresis, (15) 51

NaCl, (15) 165
Neurospora intermedia, (15) 77
Non-culturable cell, (15) 153

Offal cooling, (15) 131

Packaging, (15) 383
Peanut, (15) 77
Pigeons, (15) 299
Pig hindquarters, (15) 191
Pork carcass, (15) 185
Poultry, (15) 45, (15) 207, (15) 215, (15) 225, (15) 265, (15) 277, (15) 281, (15) 287
Predictive microbiology, (15) 13
Proactive microbiological safety assurance, (15) 1
Process hygiene, (15) 131
Product formation, (15) 99
X-Prolyl dipeptidyl aminopeptidase, (15) 87
Prophylaxis, (15) 207
Propionate, (15) 109
Psychrobacter immobilis, (15) 61
Psychrotrophic bacteria, (15) 61
Purification, (15) 87

Quality control, (15) 219

Reciprocal protection, (15) 241
Refrigeration, (15) 383
Relative humidity, (15) 185
Resuscitation, (15) 177
RFLP, (15) 347
Rhizopus microsporus, (15) 77
Rhizopus oligosporus, (15) 77
Rice, (15) 77
Role, (15) 237

Safety, (15) 13
Salmonella, (15) 121, (15) 165, (15) 215, (15) 219, (15) 225, (15) 241, (15) 245, (15) 277, (15) 281, (15) 287, (15) 307
Salmonella enteritidis, (15) 293, (15) 313, (15) 319
Salmonella typhimurium, (15) 293
Salmonella typhimurium var. *copenhagen*, (15) 299
Salmonellosis, (15) 207
Sampling, (15) 225
Selective enrichment, (15) 121
Sentinel study, (15) 197
Simplified culture, (15) 377
Skin, (15) 45
Smoked fish, (15) 339
Smoked trout, (15) 339
Smoking, (15) 357
Sodium nitrite, (15) 165
Soybean, (15) 77
Spoilage, (15) 13
Staphylococcus aureus, (15) 191
Sugar utilization, (15) 365

Tempeh, (15) 77
Temperature, (15) 165
Temperature function integration, (15) 131
Thermotolerant *Campylobacter* spp., (15) 327
Toxoplasmosis, Microwave cooking, (15) 357
Treatment, (15) 293
Two-dimensional gradient plate, (15) 165

Viability, (15) 153
Vibrio cholerae, 'classic' and El-Tor, (15) 1

Water, (15) 327

Yeast, (15) 145, (15) 383
Yersinia spp., (15) 327
Yoghurt, (15) 383